



Glossy M650

Small size and high processing speeds



f YouTube in EMC Italia srl


Via Brodolini, 23 - 40026 Imola (Bo) Italy
Tel. +39 0542 688034 - Fax +39 0542 643959
E-mail: info@emc-italia.it



www.emc-italia.it


Easy Gloss M1350

MACHINE DIMENSIONS (LxPxH) mm 3850x2350x1750



Glossy M650

MACHINE DIMENSIONS (LxPxH) mm 3000x1450x1600



Need Help?
No problem. Just connect the electronic cable we gave you to the machine. EMC technician will do the rest of the job.



Easy Gloss M1250


When the pieces gets difficult
EMC give the solutions



Easy Gloss M1250

The highest quality
finishing

- ▶ Flat
- ▶ Curved & Flat



Oscillazione spazzola integrata 30mm (15mm+15mm)
Integrated brush oscillation 30mm (15mm+15mm)
Oscilación integrada del cepillo 30 mm (15 mm + 15 mm)




High gloss
finishing


Sistema di fissaggio di pannelli piani
Flat panel fixing system
Sistema de fijación de panel plano




Sistema di fissaggio di pannelli curvi
Curved panel fixing system
Sistema de fijación de panel curvo




Sistema automatico
di spruzzo della pasta
*Automatic system
for abrasive wax application*
Sistema automático para aplicación
de cera abrasiva



Sistema di sollevamento ad alta precisione
High precision lifting system
Sistema de elevación de alta precisión



Glossy M650



Glossy non in linea
Glossy not in use
Glossy no en uso



Pannello di controllo con contatore
programmabile di passate
*Control panel with programmable
passes counter*
Panel de control con contador de pasos
programables





Glossy M 650

Small size and high processing speeds



f YouTube in EMC Italia srl


Via Brodolini, 23 - 40026 Imola (Bo) Italy
Tel. +39 0542 688034 - Fax +39 0542 643959
E-mail: info@emc-italia.it



www.emc-italia.it


Easy Gloss M1350

MACHINE DIMENSIONS (LxPxH) mm 3850x2350x1750



Glossy M650

MACHINE DIMENSIONS (LxPxH) mm 3000x1450x1600



Need Help?
No problem. Just connect the electronic cable we gave you to the machine. EMC technician will do the rest of the job.



Easy Gloss M1250


**When the pieces gets difficult
EMC give the solutions**



Easy Gloss M 1250

The highest quality
finishing

- ▶ Flat
- ▶ Curved & Flat



Integrierte Bürstenschwingung 30mm (15mm + 15mm)
Oscillation de brosse intégrée 30mm (15mm + 15mm)
Интегрированная осцилляция щётки 30 мм (15мм+15мм)




High gloss
finishing


Befestigungssystem für flache Panel
Système de fixation de panneau plat
Система фиксации плоских панелей




Befestigungssystem fuer gebogene Panel
Système de fixation de panneau incurvé
Система фиксации изогнутых панелей




Automatisches System für die
Anwendung von abrasivem Wachs
Système automatique pour
application de la pâte abrasive
Автоматическая система
распыления пасты



Vakuumsystem durch
Vakuumpumpe
Système de vide par pompe à vide
Вакуумная установка
с вакуумным насосом



Hochpräzises Hebesystem
Système de levage de haute précision
Высокоточная система поднятия



Glossy M 650



Eingebauter Vakuumpumpe
(variabel einstellbar durch Umformer)
Ventilateur dépression à l'intérieur
(réglage variable, inverter)
Внутренняя вакуумная установка
(изменяемая калибровка, инвертор)



Bedienfeld mit programmierbarem
Paßzähler
Panneau de contrôle
avec compteur de passes programmable
Панель управления с программируемым
счётчиком проходов

